

CSCE 314
Programming Languages
Functors, Applicatives, and Monads

Dr. Hyunyoung Lee


Motivation – Generic Functions

A common programming pattern can be abstracted out as a definition.

For example:

```
inc :: [Int] -> [Int]
inc []      = []
inc (n:ns) = n+1 : inc ns
```

```
sqr :: [Int] -> [Int]
sqr []      = []
sqr (n:ns) = n^2 : sqr ns
```



Both functions are defined in the same manner!

```
inc :: [Int] -> [Int]
inc []      = []
inc (n:ns) = n+1 : inc ns
```

```
inc = map (+1)
```

```
sqr :: [Int] -> [Int]
sqr []      = []
sqr (n:ns) = n^2 : sqr ns
```

```
sqr = map (^2)
```

Using map

```
map :: (a -> b) -> [a] -> [b]
map f []      = []
map f (n:ns) = f n : map f ns
```

Functors

Class of types that support mapping of function. For example, lists and trees.

(f a) is a data structure that contains elements of type a

```
class Functor f where
  fmap :: (a -> b) -> f a -> f b
```

fmap takes a function of type (a->b) and a structure of type (f a), applies the function to each element of the structure, and returns a structure of type (f b).

Functor instance example 1: the list structure []

```
instance Functor [] where
  -- fmap :: (a -> b) -> [a] -> [b]
  fmap = map
```

Functor instance example 2: the Maybe type


```
data Maybe a = Nothing | Just a
```

```
instance Functor Maybe where  
  -- fmap :: (a -> b) -> Maybe a -> Maybe b  
  fmap _ Nothing = Nothing  
  fmap g (Just x) = Just (g x)
```

Now, you can do

```
> fmap (+1) Nothing  
Nothing  
> fmap not (Just True)  
Just False
```

Functor instance example: the Maybe type (Cont.)



Picture source:

http://adit.io/posts/2013-04-17-functors,_applicatives,_and_monads_in_pictures.html

Functor instance example 3: the Tree type

```
data Tree a = Leaf a | Node (Tree a) (Tree a)
              deriving show
```

```
instance Functor Tree where
  -- fmap :: (a -> b) -> Tree a -> Tree b
  fmap g (Leaf x)    = Leaf (g x)
  fmap g (Node l r) = Node (fmap g l) (fmap g r)
```

Now, you can do

```
> fmap (+1) (Node (Leaf 1) (Leaf 2))
Node (Leaf 2) (Leaf 3)
> fmap (even) (Node (Leaf 1) (Leaf 2))
Node (Leaf False) (Leaf True)
```

Benefits of Functors

1. `fmap` can be used to process the elements of any structure that is functorial.
2. Allows us to define generic functions that can be used with any functor.

Example: increment (`inc`) function can be used with any functor with `Int` type elements

```
inc :: Functor f => f Int -> f Int
inc = fmap (+1)
> inc (Just 1)
Just 2
> inc [1,2,3]
[2,3,4]
> inc (Node (Leaf 1) (Leaf 2))
Node (Leaf 2) (Leaf 3)
```

Want to be more flexible?

Functors abstract the idea of mapping a function over each element of a structure.

```
class Functor f where
  fmap :: (a -> b) -> f a -> f b
```

Only one argument function!

The first argument of `fmap` is a function that takes one argument, but we want more flexibility! We want to be able to use functions that take any number of arguments.

```
class Functor f => Applicative f where
  pure  :: a -> f a
  (<*>) :: f (a -> b) -> f a -> f b
```

Applicative

```
class (Functor f) => Applicative f where
  pure   :: a -> f a
  (<*>) :: f (a -> b) -> f a -> f b
```

The function `pure` takes a value of any type as its argument and returns a structure of type `f a`, that is, an applicative functor that contains the value.

The operator `<*>` is a generalization of function application for which the argument function, the argument value, and the result value are all contained in `f` structure.

`<*>` associates to the left: $(g \text{ <*> } x) \text{ <*> } y \text{ <*> } z$

$\text{fmap } g \text{ } x = \text{pure } g \text{ <*> } x = g \text{ <\$> } x$

Applicative functor instance example 1: Maybe

```
data Maybe a = Nothing | Just a
```

```
instance Applicative Maybe where
```

```
-- pure :: a -> Maybe a
```

```
pure = Just
```

```
-- (<*>) :: Maybe (a->b) -> Maybe a -> Maybe b
```

```
Nothing <*> _ = Nothing
```

```
(Just g) <*> mx = fmap g mx
```

```
> pure (+1) <*> Nothing
```

```
Nothing
```

```
> pure (+) <*> Just 2 <*> Just 3
```


```
Just 5
```

```
> mult3 x y z = x*y*z
```

```
> pure mult3 <*> Just 1 <*> Just 2 <*> Just 4
```

```
Just 8
```

Applicative functor instance example: Maybe (Cont.)



Picture source:

http://adit.io/posts/2013-04-17-functors,_applicatives,_and_monads_in_pictures.html

Applicative functor instance example 2: list type []

```
instance Applicative [] where
  -- pure :: a -> [a]
  pure x = [x]
  -- (<*>) :: [a -> b] -> [a] -> [b]
  gs <*> xs = [ g x | g <- gs, x <- xs ]
```


pure transforms a value into a singleton list.

<*> takes a list of functions and a list of arguments, and applies each function to each argument in turn, returning all the results in a list.

```
> pure (+1) <*> [1,2,3]
[2,3,4]
> pure (+) <*> [1,3] <*> [2,5]
[3,6,5,8]
> pure (:) <*> "ab" <*> ["cd","ef"]
["acd","aef","bcd","bef"]
```

Applicative functor instance example: [] (Cont.)

```
> [(*2), (+3)] <*> [1,2,3]
[2,4,6,4,5,6]
```



Picture source:

http://adit.io/posts/2013-04-17-functors,_applicatives,_and_monads_in_pictures.html

Monads

```
class (Applicative m) => Monad m where
  return  :: a -> m a
  (>>=)  :: m a -> (a -> m b) -> m b
  return = pure
```

- Roughly, a monad is a strategy for combining computations into more complex computations.
- Another pattern of *effectful programming* (applying pure functions to (side-)effectful arguments)
- ($\gg=$) is called “bind” operator.
- Note: `return` may be removed from the `Monad` class in the future, and become a library function instead.

Monad instance example 1: Maybe

```
data Maybe a = Nothing | Just a
```

```
instance Monad Maybe where
```

```
-- (>>=):: Maybe a -> (a -> Maybe b) -> Maybe b
```

```
Nothing >>= _ = Nothing
```

```
(Just x) >>= f = f x
```

```
div2 x = if even x then Just (x `div` 2) else Nothing
```

```
> (Just 10) >>= div2
```

```
Just 5
```

```
> (Just 10) >>= div2 >>= div2
```

```
Nothing
```

```
> (Just 10) >>= div2 >>= div2 >>= div2
```

```
Nothing
```

Monad instance example 2: list type []

```
instance Monad [] where
```

```
-- (>>=) :: [a] -> (a -> [b]) -> [b]
```

```
xs >>= f = [y | x <- xs, y <- f x]
```

```
pairs :: [a] -> [b] -> [(a,b)]
```

```
pairs xs ys = do x <- xs
```

```
                y <- ys
```

```
                return (x,y)
```

```
pairs xs ys = xs >>= \x ->
```

```
                ys >>= \y ->
```

```
                return (x,y)
```

```
> pairs [1,2] [3,4]
```

```
[(1,3), (1,4), (2,3), (2,4)]
```